



Village of Round Lake Building Department

442 N. Cedar Lake Road Round Lake, IL 60073
Ph. 847-546-0963 Fax 847-546-1872
www.eroundlake.com

LAWN SPRINKLER REGULATIONS **CALL THE BLDG. DEPT. AT 847-546-0963 FOR INSPECTIONS**

Approved building permits become invalid unless work commences within 180 days of the issue date or when no inspections have been conducted within 180 days.

Call JULIE at 1-800-892-0123 for location of utilities prior to digging.

No change to the approved plans is authorized without prior written approval by the code official and only the construction indicated on the attached plans is authorized by the issuance of this permit.

Permit application Guidelines:

1. Submit to the Round Lake Building Department for review:
 - a. Building permit application.
 - b. One copy of the plat of survey and drawing of sprinkler system.
 - c. Number of sprinkler heads counted, drawn on plat of survey and noted on application.
 - d. Name and phone number of licensed plumber performing the installation.
 - e. The licensed plumber's State of Illinois registration number.
 - f. Homeowner's Association approval letter if applicable.
 - g. \$250.00 cash bond required upon permit being issued. Cash bond is refundable upon final inspection and RPZ certification.
 - h. For parkway sprinkler heads: Completed Application for Right of Way License Permit with required drawing that includes sprinkler head locations and signed Terms of License, Waiver and Release of Liability and Agreement to Indemnify.
2. Every person designing, supervising, installing, servicing, maintaining, operating equipment, or performing labor on a lawn sprinkler system must carry an irrigation registration card or a plumbing license.
3. The indoor piping, backflow preventer and final connection to the system must be performed by a licensed plumber.
4. A licensed plumber must inspect the system for proper mechanical operation and supply the village with RPZ certification.
5. The homeowner and licensed plumber must sign the state registration form.

Required Inspections:

1. Rough plumbing: inspection of exposed sprinkler system prior to backfill.
2. Final plumbing: inspection after the plumbing connections are complete in the basement and the RPZ is in place and tested.
3. State Code (Sec. 890.1130b) requires RPZ to **be inspected annually** by a connection control device inspector (CCC01). The inspection report is to be submitted and kept on file at the Round Lake Public Works facility.

Note: CCC01 must be performed by a third party inspector certified by the state.

It is the contractor's and ultimately the owner's responsibility to know the village code provisions. The owner or his agent is responsible for constructing all permitted work in compliance with village codes. Failure to identify any aspect of the proposed design not in compliance with the village code during plan review does not relieve the owner of the obligation to achieve full village code compliance. The Code Official cannot list all code sections on the drawings or documents.